G. R. S. IX-5]

Previous references.

1922.

(Local B&)

File No. 33 - 21

Serial Nos. 7, 11, 13, 18 23 & 28

Later references.

GENERAL AND REVENUE SECRETARIAT.

✓

Serial Nos. 7, 11, 13, 18, 23 & 28 -

Part B for April 1922

SUBJECT.

Recommendation to waive the contribution from the villages of Bancahalli and Marsandra in the Bowringpet Taluk for sinking wells in the villages -

---

To The President D. B. & Local Board
No L 6332 of 27.4.22.

State that the recommendation cannot be sanctioned unless the D. B. is prepared to meet the cost thereof from its own funds.

M. K. Dance
Y.P.

WD 1888—GPB—16,826—23-7-21

Office of the President, Kolar District
Board, dated, the 30th November 1921.

Md. Zahiruddin Mecci, Esquire, B. A.,
President, Kolar District Board, K o l a r.

To

D. Srinivasiyengar, Esquire, B. A.,
Secretary to the Government of H. H. the Maharaja
of Mysore, Revenue Department, B a n g a l o r e.

REVENUE & JUDICIAL SECRETARIAT.
L 3191
5 DEC 1921
LOCAL S.G. GOVT.
BRANCH.

Sir,

I have the honor to submit herewith the file of papers received with reports Nos. L. F. 694 and 695 dated the 11th January 1921 from the President, Taluk Board, Bowringpet, in connection with the construction of Drinking water wells at Banahalli and Marasandra and to state that the ryots of these two villages are reported to be too poor to contribute 1/3 of the amount required for constructing the wells.

2. The amildar President recommends that the contribution in respect of the two wells may be waived.

3. The subject was placed before the District Board in their meeting held on the 15th January 1921 and they have resolved as under:-

" 35. Resolved that as the people of these villages are said to be too poor, the contribution may be recommended to be waived in their case. "

4. I therefore request you to be so good as go obtain the sanction of Government to the proposal of the District Board in the matter.

I have the honor to be,
S i r,
Your most obedient servant,

For President, Kolar
District Board.

G. R. S. III-2)

General and Revenue Secretariat. | Mul File No. 33 of 1921.

Serial No.

4) Subd with G.O. No. R 2360-70 Mul 30-18-8 dated 16th Aug 1919 with refce to para 3 supra.

VBR 14/12 5) According to the above order, contribution from the villagers will be waived only in the case of wells sunk for the depressed classes and those in villages where distress prevails or there is danger of cholera breaking out.

Rev. Secy.) 14/12/21.

6) The village is a hamlet & included in the special area (Goldfields) The ryots have sunk a well at their own cost. As they are too poor to meet the cost of treatment which is heavy they ask for Govt help.

7) The Sanitary Engr also appears to have inspected the village & recommended a well at the cost of Govt. Para 3 of the rules (H.O) applies to this case. The President's recommendations may be sanctioned

by 17/12

3rd member) 34 17/12/21 ~~I accept the proposal~~ except

8) The drinking water well found in this village has been submerged & application has been made for a further allotment and we are

NOTE—Contn. sheet.

2191
3940

G. R. S. III-2]

General and Revenue Secretariat.

LB
Adl File No. 33 of 1921.

Serial No.

In answering this question the Board where they can have to funds from their district. Should be left with me.]

Subject
Ref to
Ref
by

9) Subd with a draft for appl of Govt orders with Ref to para 8 Supra

VLR 27/12

(10) Issue

DCS 31/12/21

TSR 29/12

REVENUE & JUDICIAL SECRETARIAT
10 JAN 1922
LOCAL SELF GOVT. BRANCH.

To, The president, Dist Bd. Kolar
No. L 3864/ A 5. 1. 22

Requests to inform how the Dist Board propose to meet the cost of the the Construction of a drinking water well at Banahally village if the proposal is approved

13 From the president Dist Bd Kolar.
No. OC 1127/19-20 dated 16/17 Jan 22.
with ref to R 11 proposes & states that the Expenditure will be met from the Drinking water wells fund.

(14) Subd with ref to para 9 Supra

VLR 2/2

11) Vide Memoirs remarks dy 22/12/21.

TSR 2/2

12) The other file in which this question is being dealt with may be put up.

DCS 2/2/22

NOTE—Contn. sheet

VLR

3948

5734

G. R. S. III-2.

General and Revenue Secretariat.

LB File No. 33 of 1921.

Serial No.	
	~~Attd~~ LB. 56-1921 is linked as per ~~for~~ order in para 8 Supra.
	VdB 14/2 3rd Memory. dcg 15/2/22
4662 16/2	13) The dy Comrs' allegation may be dra Hon'ble Min's notice in the linked file and he may be asked to suspend him and decide ~~to~~ ca he is reinstated when he states that the balance at their credit of the funds is sufficient to meet their cost of the wells now under construction. dcg 19/2
	14) Draft please dcg 20/2/22
	15) Subd with a draft for appn WDR 3/3 dcg 4/3 Issue dcg 4/3/22
	18 To, The Deputy Commr. Kolar Draft No. L 5487/d 15.3.22 Requests to inform how the expenditure for sinking drinking water wells at Bamahalli, is proposed to be met.

NOTE—Contn. sheet.

G. R. S. III-2

General and Revenue Secretariat.

KB File No. 33 of 1922

6169

Serial No.	
23	To The President, Dist Bd, Kolar Letter No. L Soc 1127 dt 4.4.22 In reply to Sl 18 states that the recommendation was made on the belief that the annual grant from Govt would be asked for another 3 or 4 years. Asked with reference to para 13 Supra. 4905 — 10.4.22 CBS 10/4/22 BM 10/4/22 For perusal (2nd member) DCG 10/4/22 The proposal will have the hearty concurrence of D.B. if proper steps will be taken from its own funds 14/4. BM 15/4 DCG DFK Subd CBS 21/4/22 BM 22/4/22 Issue DCG 24/4/22
28	To, The President, District Board, Kolar 6332 No. L 27.4.22 States that the proposal to waive the Contribution from the sepoys Can not be Sanctioned.

REVENUE & GENERAL DEPARTMENT 29 APR 1922 LOCAL SELF GOVT BRANCH

BM 27/4

NOTE—Contn. sheet.

No. 89

Jc. No. 01055-A-7

(6

The Amildar. Bobbingheli Taluka.

Sir,

Beg to Submit that the village of Maravandi is the majrai of Voddahalli village included in the Special area. There are 15 houses with a population of about 50 in number. The villagers have Sunk a bore well which is 36 feet deep and 3½ feet Square. It contains the best of potable water. It is the only source of water supply in the village and the people are getting water from this well only. The soil being soft in the upper portion may slip and close the well if not properly revetted and constructed. The villagers are very poor and unable to contribute 1/27 the estimate cost towards the construction of this well. But they are very eager to complete the remaining excavation. Hence the cost of the full earthwork is included in the enclosed estimate. Considering the poor condition of the people and their difficulties to procure drinking water, I earnestly pray that the estimate may be kindly Sanctioned. The plan of the well is hereunto Submitted. The villagers are eager to complete the work before the end of the official year.

Beg to remain
Sir
Your most Obedient Servant
N. Krishnamurthy Jr
Sd. S. D. Bobbingheli

13/4/20

GOVT. OF THE PRESIDENCY
No. I.S. 346
Date. 15/4/20
SECRETARIAT

Checked & found correct

ubss
and
24/4/20

Submitted to the president Taluk Board

for favour of sanction and

24/4/20

Memo

Forwarded to the Vice President Taluk Board

the sheets produced by the road surveyor

for the Pucca [illegible] for the [illegible]

[illegible]

1/5/20

3.5.20

Vice President

Taluk Board

Respectfully [illegible]

No 123

Beg to submit that the Vice President Taluk Board

has sanctioned the above proposals and

be kindly sanctioned

[illegible]

Special Surveyor

18.5.20

No 338

Submitted.

[illegible]

Vice President

Camp - Bettamugda 8/5/20 Bowring pet Taluk Board

L. B. Form 11]
Rule 88.

Estimate of the Probable Cost of Sinking a drinking water well in Maragondanahalli village major village of Voddahalli included in the special area in Bowringpet Taluk.

Detail of work	No.	Measurement: Length	Measurement: Breadth or thickness	Measurement: Height or depth	Contents	Total quantity of each description of work	Rate Rs. a. p.	Cost Rs. a. p.	Remarks
Excavating well in Soft chattu	1	8	8	17½	41	cft 41	0-8-0	21-0-0	Rly 6
Ditto in Hard chattu									Share of
Combined with Rocky soil	1	4	4	18½	11	" 11	2-0-0	22-0-0	Work
Bailing water								12-0-0	deducted
								55-0-0	
Cement-Stone Revetment including filling									
backing long walls	2	8	2	16½	cft 528				
" End walls	2	4	2	16½	264				
Total in cft					792	cft 29	2-8-0	73-0-0	
Cement-Stone Slabs									
below and over Revetment									
long walls	2×2	8	2		64				
Cross wall	2×2	4	2		32				
Platform	1×	14×14		4×4	180				
over the Parapet	1	21	1¼		26				
Pillars	2	10	1		20				
Slab Drains	1	56	2		112				
Lead of Drain	1	30	2		66				
	Total in Sft				494	494	0-4-0	124-0-0	
Cement-Stone in mortar Retaining wall									
below platform	1	50	1¼	3½	219				
above Revetment and parapet wall	1	21	1¼	5	131				
Total in cft					350	350	0-3-6	77-0-0	
Cement Pointing Platform	1×	14×14		6½×6½	= 1.54				The rate
Exposed face of the Retaining wall	1×	56	×2		= 1.12				charges
Parapet outside face	1	26	3		= .78				with
Ditto inside	1	16	5		= .80				reference
Slab Drains	1	56	1¼		= .70				the market
Lead of drain	1	30	1¼		= .38				value of
					5.32	5.32	4-0-0	21-0-0	Cement

Cost of cross bars, iron pulley, charges for fixing pillars and cutting grooves etc Lump Sum (Details will be furnished in the bill) — 15-0-0

Contingency for unforeseen Expenses — 15-0-0

12.

Deduct the cost of the entire Excavation — 380-0-0 / 55-0-0

Balance cost — 325-0-0

Amount to be Sanctioned Rupees Three hundred and twenty five only.

N Krishnaswamy Ayi
Spl. S.I. Delta maigale

Asst Engr
Arnikal

ABSTRACT.

WD 1/98—GPB—5,800—18-12-16

Quantity	Description of works	Rate	Per	Amount	Remarks

I hereby certify that I have carefully measured the work required to be done, and that, at present, so far as can be foreseen, everything required for the work is included in the estimate.

Date

Sanitary Inspector.

I have carefully examined this estimate at the site of work, and it appears to include everything for completing the work which I consider necessary.

Date

President,
Taluk Board.

Rates and calculation checked by
Date

L. B. Form 11]

Estimate of the Probable Cost of Sinking a Dinking

Rule 88. water well in Masavandia village majoreii Village of Voddathalli included in the Special area in Bowingpet Taluk.

Detail of work	No.	Measurement: Length	Breadth or thickness	Height or depth	Contents	Total quantity of each description of work	Rate: Rs.	a.	p.	Cost: Rs.	a.	p.	Remarks
Excavating well in Soft chalk	1	8	8	17½	cyd 141	cyd 141	0	8	0	21	0	0	By C. Sh
Ditto in Hard chalk combined													of works
with Rocky Soil	1	4	4	18½	" 11	" 11	2	0	0	22	0	0	deducted
Baling water										12	0	0	✓
										55	0	0	✓
Rubble Stone Revetment including													
filling facing long walls	2	8	2	16½	cft 528								
End walls	2	4	2	16½	264								
	Total in cyds				792	cyd 29	2	8	0	73	0	0	✓
Rubble Stone Slabs													
below and over Revetment													
long walls	2×2	8	2		64								
cross walls	2×2	4	2		32								
Platform	1×14×16	4×4	=		180								
over the Parapet	1	21	1½	=	26								
Pillars	2	10	1	=	20								
V. Slab Drains	1	56	2	=	112								
Lead of Drain	1	30	2	=	60								
	Total in Sft				494	4·94	0	4	0	124	0	0	✓
Rubble Stone in mortar Retaining wall													
Below Platform	1	50	1½	3½	219								
Above Revetment and													
parapet wall	1	21	1½	5	131								
	Total in cft				350	3·50	0	3	6	77	0	0	✓
Cement Pointing Platform	1×14×16	6½×6½	=		1·54								
Exposed face of the Retaining													
wall	1	56	2	=	112								
Parapet outer face	1	26	3	=	78								
Ditto inside face	1	16	5	=	80								
V. Slab Drains	1	56	1½	=	70								
Lead of Drain	1	30	1½	=	38								
					532	5·32	4	0	0	21	0	0	✓
Cost of Cross bar, iron pulley, charges for fixing pillars, and cutting grooves, etc Lump Sum. Details will be Submitted in the Bill										15	0	0	✓
Contingency for unforeseen Expenses										15	0	0	✓
										380	0	0	✓
Deduct the Cost of the entire Excavation										55	0	0	✓
										325	0	0	

Amount to the Sum of Rupees three hundred and twenty five only.

N. Krishnaswamy Iyer
Sft. S.I Bettamangala

Asst. Engr.

L+oc 1127
1920

(1)

To no
1018

ಕೋಲಾರ ಜಿಲ್ಲಾ ಬೋರ್ಡಿನ ಅಧಿಕಾರ
ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಬರುವ ತಾಲ್ಲೂಕು ಬೋರ್ಡ್
ಅಧ್ಯಕ್ಷರು ಸಭ್ಯರು.



ಇಲ್ಲಿಯವರಿಗೆ ಕಡಿಮೆಯಲ್ಲಿ ೨ ಕ್ಕೆ ಕಡಿಮೆಯಾದ
ಸಂಖ್ಯೆಯಿಂದ ದಾನ ಪತ್ರದ ಪ್ರಕಾರ ಪ್ರತಿಯೊಬ್ಬರಿಗೆ
೧ ಬಾವಿ ತೆಗೆದು ಪೂರ್ತಿ ಮಾಡಲು 325/ರೂ.
ಕೊಡಲಾಗುವುದು ಪ್ರತಿ ಬಾವಿಯ ಸ್ಥಳದ
ಮಾಲೀಕರುಗಳಿಗೆ ಅವರ ಹೆಸರಿಗೆ ಬಾವಿ
ತೆಗೆಯಲಾಗಿದೆ ಎಂಬ ಸರ್ಟಿಫಿಕೇಟ್ ಕೊಟ್ಟ ಮೇಲೆ
ಬಾವಿ ತೆಗೆಸಿದವರಿಗೆ ಹಣ ಕೊಡಲಾಗುವುದು
ಬಾವಿ ತೆಗೆಸಿದವರು ಅಂಗೀಕೃತ ಸರ್ಟಿಫಿಕೇಟ್
ಅನ್ನು ಪಡೆದು ಅದನ್ನು ಬೋರ್ಡಿಗೆ ಕಳುಹಿಸಿ
ಕೊಡಬೇಕಾಗಿ ಮತ್ತು ಸರ್ಟಿಫಿಕೇಟ್ ಕೊಡುವ
ಅಧಿಕಾರಿಯನ್ನು ಸಹ ಬೋರ್ಡಿನವರೇ ನೇಮಿಸಿ
ಕೊಡಬೇಕಾಗಿ ಕೋರಿಕೆ.

A Ahmed
President
Taluk Board

20/5/20

6
2.7.20

Respectfully submitted

I beg to submit that Voddaharlli is one of the villages included in the special area and Marasandra being a major village is no doubt a part of Voddaharlli. Generally only Asadi villages are shewn in all Govt accounts which include both Asadi and major villages. In the present case the people residing at Marasandra deserve special consideration as they have to contribute 1/3 of the annual cost as per Govt order. On the other hand they have been persuaded with great difficulty to do all the work themselves and the actual cost of the Rs 15-0-0 has also been deducted in the estimate towards Rs 6-5 share of work. As they feel much difficulty for water I beg to request that the estimate may be kindly recommended for sanction for reasons explained above. The entire record is herewith submitted for kind perusal

Reed 6.7.20
L-7-C
HCJ 9.7

N Krishnamurthy Aja
Special Sanitary Inspector

21/7/20

(17)

L. B. Form 11]
Rule 88.

Estimate of the Probable Cost of Sinking a drinking water well at Banahalli in Bowringpet Taluk.

Detail of work	No.	Measurement: Length	Breadth or thickness	Height or depth	Contents	Total quantity of each description of work	Rate	Cost	Remarks
							Rs. a. p.	Rs. a. p.	
Excavating well in clutter soil	1	22/7 × (5)² × 15			= 44 cft	44	1 4 0	55 - -	
Do in hard clutter. cft	1	22/7 × (2½)² × 15			= 11 cft	11	3 - -	33 0 0	
Baling water							— - -	15 0 0	
Burnt Stone revetment									
	1	22/7 × 7½ × 2½ × 5			= 33 cft	33	2 8 0	83 0 0	
Circular Slabs below revetment	1	22/7 × 7½ × 9½			= 59	Sft 59	0 5 0	18 0 0	
Ordinary Slabs									
Slabs for platform including above revetment	1	15 × 15 − 5 × 5			= 200				
Pillars.	2	8	2		= 16				
Beam	1	10	1		= 10				
V Slab drain all round the platform	1	60	2		= 120				
Do - Lead of drain	1	10	2		= 20				
above parapet wall dog	2	7½	1¼		= 19				
Do. Cross.	2	5	1¼		= 13				
		Total			398	Sft 398	0 4 0	100 0 0	
Constructing parapet wall with burnt Stone in mortar.									
Long walls.	2	7½	1¼	2½	= 47				
Do. Cross	2	5	1¼	2½	= 31				
		Total			78	cft 78	0 4 0	20 0 0	
Inhuman pointing									
Do Platform	1	15 × 15 − 7½ × 7½			= 1.69				
Do parapet wall	1	50	2½		1.25				
Do. drains	1	120	1		120				
		Total			4.14	Sq/r 4.14	1 8 0	6 0 0	
Iron fully with boring charges						1	5 - -	5 0 0	
Contingencies for unforeseen Expenses								15 0 0	
						Total		350 0 0	

Rupees Three hundred & fifty only

K Sathyanarayana Rao
Well Mistry

Executive Engineer
Taluk Boards

Sd
2.10.20

Sd
21/9/20 Draughtsman

(18

L. B. Form 11]
Rule 88.

Estimate of the Probable Cost of Sinking a drinking ~~and bathing~~ water well at Banahalli

Detail of work	No.	Measurement: Length	Measurement: Breadth or thickness	Measurement: Height or depth	Contents	Total quantity of each description of work	Rate	Cost	Remarks
							Rs. a. p.	Rs. a. p.	
Excavating well in loose soil cft	1	22/7 × (5)²		15 cft	44		1 4 0	55 - -	
Do. in Hard chattu cft	1	22/7 × (2½)²		15 cft	11		3 - -	33 - -	
Balancing wall — Nominal roll will be submitted								15 - -	
Burnt stone pavement including fully packing gall									
	1	22/7 × 7½	× 2½	× 15 =	33 cft	33	2 8 0	83 0 0	
Slabs below pavement									
Cut circular	1	22/7 × 7½	× 2½ =		59	59 sft	0 5 0	18 0 0	
Ordinary Rubs.									
Plat form including above measurement	1	15 × 15	= 5 × 5 =		200				
Pillars	2	× 8	× 1 =		16				
Beam	1	× 10	× 1 =		10				
V Slab drain	1	× 60	× 2 =		120				
Lead of drain	1	× 10	× 2 =		20				
Above parapet walling	2	× 7½	× 1¼ =		19				
Do. cross	2	× 5	× 1¼ =		13				
Total					398	398 sft	0 4 0	100 - -	
Constructing parapet wall with burnt stone in mortar									
Long walls	2	× 7½	× 1¼ × 2½ =		47				
Do cross	2	× 5	× 1¼ × 2½ =		31				
Total					78	78 sft	0 4 0	20 - -	
Inhuman pointing									
Do. Plat form	1	× 15 × 15	— 7½ × 7½ =		169				
Do. Parapet wall	1	× 50	× 2½ =		125				
Do. drains	1	× 120	× 1 =		120				
Total					414	4.14 sq/r	1 8 0	6 - 0	
Iron pully with boring charges						1	5 - -	5 - -	
Contingencies for unforeseen Expenses								15 - 0	
						Total		350 - 0 0	

Rupees Three hundred & fifty only

K Subramanya Rao
Well Sinking
29/9/20

Sen
2.10.20

President
Taluk Board

(19

Letter no C. 1060/one dated Bangalore the 24/6/1919

from the Sanitary Commissioner with the Government

of His Highness the Maharajah of Mysore, to the

Deputy Commissioner Kolar District —

I have the honour to state that during my last inspection

of Bowringpet I found that the Amildar is greatly

interesting himself in providing new villages in

villages as well as in improving the existing ones.

The wells that have been completed or are under

Construction number 105. I need hardly say that from

the point of view of cholera prevention alone nothing

could be more important & urgent than the improve-

ment of rural water supply. It appears however

that the work in connection with 20 wells that are

badly required in the villages detailed in the

accompanying list is held up on account

of the inability pleaded by the villagers to

contribute towards the cost of the wells. I

think the cases are such as deserve a relaxation

of the rules in respect of payment of Contribution

If you agree with me Government may kindly

be, Government may kindly be addressed & Sanction

obtained to defray the entire cost of the wells

to State funds.

2 In the case of Budikote village, where the

wells may be sunk in two places by the side of

the Markandeya stream.

Office of the Deputy Commissioner
Kolar District

Sub: Regarding the issue of ...

No. L.Dis. Estt/...
Dated ...

Memo

Copy of the above is forwarded to the Assistant Commissioner, ... Sub-Division for information in the matter. The amount ... may be received from the persons noted in the list and kept in readiness. The ... villages ... given below in detail.

As regards the Sinkinal ... in Bussinote village referred to in the last para of the above letter estimate ... may also be submitted.

Sd/- ...
Deputy Commissioner
Kolar District

No	Village	No. of drawings required	Amount required
x	x	x	x
15	Banahalli village in Kasaba Hobli	2	80 0/-

"Copy"
Ex. 21

Chairman
Rural Dev. Board

M 33
63

Encl.

7 No. 199 The Govt. order No. R.S.3 Ho. 70 dtd.
30.1.15 dated 16th August
1919 directing payment of Rs.
Fee cases, received in response to 1/3 Contribution
from Regd. addressed to Superintendent
West Central Circle Bangalore
ordered [illegible] granted
under which the Officers of the
Govt. Circle & Govt. Medical Stores
Canara Circle [illegible] shown
shown. Are immediate [illegible]
requested —

Superintendent 27/5
West Central

695 12/12/20 Supdt.
File No. 13 Encl. Sd/-

[illegible]

G. R. S. VI—G/32]

SUBJECT.

Diary No. of letter replied to

Section LB
File No. 33-21
Serial No 11

General and Revenue Secretariat

191

L 3864

Date of issue 5.1.1922

Signed by Mw-WEGunbaraja

The President
District Board
Kilinochchi

Sir,

With reference to your letter No. C 1127/19-20 dated 30th Nov 1921 forwarding for sanction of Govt the resolution of the District Board Kilinochchi ~~proposing~~ for waiving the ~~xx~~ ryots share of Contribution for constructing drinking water wells at Banakaly

over.

Recd 24

(25

Office of the President, District Board,
dated, Kolar the16th January 1922.

From

Md. Zahiruddin Mecci, Esquire, B. A.,
President, District Board, K o l a r.

L.B. 33-21

REVENUE & JUDICIAL SECRETARIAT.
L. 3948
20 JAN 1922
LOCAL SELF
BRANCH

C. Venkata Rao, Esquire, B. A.,
Secretary to the Government of H. H. the Maharaja
of Mysore, Revenue Department, B a n g a l o r e.

Sir,

With reference to your letter No. L. 3864/L.B.33-21-11 dated the 5th January 1922, requesting to be informed as to how the cost of constructing the Drinking Water Wells at Banahalli and Marasandra is proposed to be met, I have the honor to state that the cost may kindly be ordered to be met from the " Drinking Water Wells Fund. "

I have the honor to be,
S i r,
Your most obedient servant,

C.S. Gopala Rao
For President, District Board,
K o l a r.

Sk.

Noted

G. R. S. VI—G/32]

SUBJECT....

...

...

Diary No. of letter replied to

General and Revenue Secretariat

(

, the *191*

Date of issue 15.3.22

Signed by Mr. D.C.S.

Section 2B

File No. 33-21

Serial No. 18.

5187

To

The Deputy Commissioner

Kolar District

Sir,

With reference to your letter No

DC 1127/19-20 dated 16/17 January 1922

stating that the expenditure for sinking

Drinking water wells at Bommahally

and Marasandra villages may be

met out of the Drinking Water Wells

Fund, I am directed to invite attention

to your letter No D.F. IIIc 181/19-20 dated

24th Sep. 1921 and to request that you to

over.

LB 33-21-23 (28)

Office of the President, Kolar District Board, Kolar District,

ated, Kolar the 31st March 1922.

REVENUE & JUDICIAL DEPT.
L.6169
4 APR 1922
LOCAL SELF GOVT BRANCH.

From

Md. Zahiruddin Mecci, Esquire, B. A.,
President, Kolar District Board, K o l a r .

To

C.Venkata Rao, Esquire, B. A.,
Secretary to the Government of H.H.the Maharaja
of Mysore, Revenue Department, Bangalore.

Sir,

With reference to your letter No. L.5187/LB.32-21-18 dated the 15th instant calling for explanation as to how the proposals to meet the expenditure of new works from the Drinking Water wells fund can be sanctioned when it is stated that the balances at the credit of the fund is not sufficient to meet the cost of the wells now under construction., I have the honor to state that the recommendation was made from this office in the belief that the annual grant from Government for such works will be continued for another three or four years.

I have the honor to be,
S i r,
Your most obedient servant,

For President,
Kolar District Board.

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to 28/6/22

General and Revenue Secretariat
( )
, the 191 .

Date of issue 27-6-22

Signed by Mr. D.C.S.

Section LB
File No. 33-21
Serial No. 28

No. L-6332

To The President, Dist Bd, Kolar

Sir,

With reference to correspondence ending with your letter No L 706 (127 dtd 1.4.22 requesting sanction to the resn of the Dist Bd recommending waiving of the Contribution from the ryots for sinking of wells in Banahalli & Marahalli villages in the Bangarpet Tq, I am directed to state that the recommendation cannot be

over.